EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1009	(717/154-158).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/17 11:33
82	109	S1 and ((dynamic or (just in\$1time) or JIT) near2 compiler)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/17 11:39
83	16	S2 and (control flow graph) and (optimization or optimisation)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/17 11:40

S 4	130	S1 and ((dynamic or (just \$1in\$1time) or JIT) near2 compiler)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/17 14:37
S 5	22	S4 and (control flow graph) and (optimization or optimisation)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/17 11:50
S 6	6	S5 and ((java virtual machine) or JVM)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/17 11:51
S 7	2	S4 and (class initialization)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/10/17 14:37

88	5	(Kaestner-Daniel.IN.) OR (Luedde-Mirko.IN.) OR (Reingruber-Richard.IN.) OR (Stasch-Holger.IN.) OR (Wilhelm-Stephan.IN.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/31 16:03
S9	0	data\$1flow same optimiz \$5 same ((dynamic or just- in-time) near2 compiler) same ((machine or compiled) near2 code)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/31 16:48
S10	73	or just-in-time) near2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/31 16:48
S11	15	S10 and ((data flow) or (data-flow))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/31 16:48

S12	2	("6966055").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/31 17:57
S13	6	(Kaestner-Daniel.IN.) OR (Luedde-Mirko.IN.) OR (Reingruber-Richard.IN.) OR (Stasch-Holger.IN.) OR (Wilhelm-Stephan.IN.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/12 18:57
S14	1	S13 and (killed set)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/12 18:57
S15	1198	(717/154-158).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/13 10:22

S16	165	S15 and ((dynamic or (just \$1in\$1time) or JIT) near2 compiler)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/13 10:22
S17	9	S16 and ((CFG or (control flow graph)) same set\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/04/13 10:22
S18	2	("20050257202").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/13 11:49
S 19	60	(post near2 optimiz\$5) same compiler\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/11 12:36

\$20	0	((post near2 optimiz\$5) same compiler\$1) and (data flow\$1) and (call flow \$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/11 12:39
\$21	0	((post near2 optimiz\$5) same compiler\$1) and (call flow\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/11 12:39
\$22	60	((post near2 optimiz\$5) same compiler\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/11 12:39
\$23	1	((post near2 optimiz\$5) same compiler\$1) and (byte code)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/11 12:40

\$24	16	((post near2 optimiz\$5) same compiler\$1) and (redundant or redundancy)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/11 12:44
\$25	2	("20040054990").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/11 12:56
\$26	2	((post near2 optimiz\$5) same compiler\$1) and (redundant or redundancy) and (bytecode or (byte code))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/11 13:11
\$27	2	("20040054990").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/11 13:32

S 28	58	compiler\$1 and (kill\$2 near2 set\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/11 13:37
259	32	compiler\$1 and (kill\$2 set \$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/11 13:37
S30	4	(compiler\$1 same post) and (kill\$2 set\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/11 13:37
S3 1	102	(compiler\$1 same post) and ((intermediate representation) or IR)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/11 13:43

S32	0	(compiler\$1 same post) and ((intermediate representation) or IR) and (call flow) and (data flow)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/11 13:43
S33	0	(compiler\$1 same post) and ((intermediate representation) or IR) and ((call flow) or call-fllow or callflow) and ((data flow) or data-flow or dataflow)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/11 13:44
S34	5	(compiler\$1 same post) and ((intermediate representation) or IR) and ((call flow) or call-fllow or callflow or CFG) and ((data flow) or data-flow or dataflow or CFG)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/11 13:44
S35	5	(compiler\$1 same post) and ((intermediate representation) or IR) and ((call flow) or call-fllow or callflow or CFG) and ((data flow) or data-flow or dataflow or CFG) and optimiz\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/11 13:45

\$36	2	(compiler\$1 same (post near2 pass)) and ((intermediate representation) or IR) and ((call flow) or call-fllow or callflow or CFG) and ((data flow) or data-flow or dataflow or CFG) and optimiz\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/11 13:50
\$37	829	((intermediate representation) or IR) near4 optimiz\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/11 13:58
S38	88	((intermediate representation) or IR) optimiz\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/11 13:58
S39	27	(((intermediate representation) or IR) optimiz\$5) and (redundant or redundancy)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/11 13:58

\$40	27	(((intermediate representation) or IR) optimiz\$5) and (redundant or redundancy)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/11 15:44
S 41	2	("7493610"). PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/11 16:08
S42	2	("7146606").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/11 16:16
S43	19	(((internal representation) or IR) optimiz\$5) and (redundant or redundancy)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/11 16:33

S 44	2	((internal representation) optimiz\$5) and (redundant or redundancy)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/11 16:34
S45	14	((internal representation) near2 optimiz\$5) and (redundant or redundancy)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/11 16:34
S46	0	((internal representation) near2 optimiz\$5) and (redundant or redundancy) and (post- pass or (post pass) or postpass)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/11 16:35
S47	0	(((internal representation) near2 optimiz\$5) same post) and (redundant or redundancy)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/11 16:35

\$48	1	((internal representation) near2 optimiz\$5) and (redundant or redundancy) and post	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/11 16:36
S49	0	(CDC hotspot) same (improv\$5 or enhanc\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/11 16:39
\$50	1	(CDC hotspot)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/11 16:39
\$52	2	("6427234").PN.	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/11 17:02

\$55	139	(java same hotspot)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/11 17:16
\$56	0	((internal representation) near2 optimiz\$5) and (redundant or redundancy) and augement \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/11 17:29
\$57	1	((internal representation) near2 optimiz\$5) and (redundant or redundancy) and post	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/11 17:29
\$58	2	("7058937").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/11 17:45

\$59	0	("(dynamiccompiler\$1) same(post- passorpostpassor (postpass))").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/11 17:46
S60	0	(dynamic compiler\$1) same (post-pass or postpass or (postpass))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/11 17:47
S61	2	(dynamic compiler\$1) and (post-pass or postpass))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/11 17:47
S62	9	post pass optimiz\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/11 21:17

\$63	27	(M 1 / 1 1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/11 21:21
S64	27	((post pass) or post-pass or postpass) near5 optimiz \$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/11 21:22
S 65	4	, , , , , , , , , , , , , , , , , , ,	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/11 21:24
S66	4	(((post pass) or post-pass or postpass) near5 optimiz \$6) and ((call\$1flow\$1 or control\$1flow\$1) and (data \$1flow\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/08/11 21:26

S67	2	("6745384").PN.	US-PGPUB;	OR	OFF	2009/08/11
			USPAT;			21:55
			USOCR; FPRS;			
			EPO; JPO;			
			DERWENT;			
			IBM_TDB			

8/14/2009 11:04:25 AM C:\ Documents and Settings\ bwang\ My Documents\ EAST\ Workspaces\ 2007\ 2007-Q4 \ 10-845-652.wsp